



# 3URFHVV 7LWOH

%ULHMFULSWLURFRGXZHRUCVDHV

,QYROYHV WKH XVH RI WKH KIRKWOOD LABORATORY [5HSURGXFWLYH 78QUC LQQRJHQ1RQH RI WKHVH



Lab Coat

6WDQGDUG

)ODPH 5HVLVWDQW

2WKHUBBBBBBBBBBBBBB



1LWULOH

1HRSUHQH

2WKHUBBBBBBBBBBBBBB



Eye Protection

6DIHW\ \*ODVVHV \*RJDHUWLFXODWH )LOWHU

)DFH 6KLHOG

2WKHUBBBBBBBBBBBBBB



FYgd]fUrcf

+DOI RU IXOO IDFH \$35

2WKHUBBBBBBBBBBBBBB

# /RFDWLURRPGHVLJQDWHZKDWHDWKLVSURFHGXUH ZLOO

6i ]X]b[ 5RRP 1XPEHU V

'HVLJQDWHG \$UHD V

# \$GPLQLVWUDWLYH &RQWUR

6HOHFW DQ\ (Q&RQMURLOW WKH ODE ZLOO HPSOR\

)XPH +RRG

%LRVDIHW\ &DELQHWORYH %R[

9HQWHG \*DV &DELQHW

2WKHU GHVFULEH EHZ

'HVFULEH DQ\ \$GPLQLVWUDWLYH &RQWURQRWZRORQZLDOHQPSORSHUYLVRU



3OHDVH SURYLGH VWHS E\ VWHS GHWDLOV RI WKH SURFHGXUH